

LSS-IP6PT-10X

5MP IP Weatherproof Camera With 10X Zoom



KEY FEATURES:

- 1/2.9" HD-CMOS Sensor
- 5MP IP Bullet Camera
- Lens (3.6-47mm)
- IR Range 80-120m
- IP 66 Weatherproof
- 10X Motorized Zoom
- 3DNR, AWB, AGC, BLC, HLC
- Micro SD Supported upto 512 GB
- Video Backup Minimum 2Days





Feature	Specification
Image sensor	1/2.9" HD-CMOS Sensor
Video compression	H.265/H.265+ Video compression. Support dual stream
Minimum illumination	0.5 Lux; 0Lux with IR on
Shutter type	Auto/Manual, 1/3(4) ~ 1/10,000s
Camera type	IP 66 Weatherproof
Frame rate	5.0MP@19fps
White balance	Auto
P2P & NPR	Supported
Lens mount	Lens 3.6~47mm
Image output	Main stream: 2560x1920@1-19fps / Sub stream: 640x360@1-19fps
ONVIF	Yes
Network interface	1RJ45 Ethernet interface
IR Led / IR distance	IR LED / up to 80-120Mtr..
WDR	120db
Power supply	12VDC / 2A
Current drawn	500mA (Max.)
Working condition	-10°C to +55°C (32°F-133°F) , 10% - 90%PH



Accessories

TR-UF45-A-IN



TR-SE45-A-IN



TR-SE45-IN



TR-CE45-IN



TR-JB12-IN



TR-WE45-A-IN



TR-WE45-B-IN




TR-UP08-A/B-IN



TR-UC08-A/B-IN



USED AREAS



Offices



Home



Industrial



Railways



Bus Stop



Airport

